

SAVSOL AUTOGEAR 80W-90

DESCRIPTION:

SAVSOL AUTOGEAR 80W-90 is a multipurpose premium quality EP gear lubricant for automotive applications specially designed to provide optimum benefits in mechanical transmissions, axles and gear boxes of heavy commercial vehicles operated in moderate and severe conditions.

APPLICATION:

SAVSOL AUTOGEAR 80W-90 is recommended for transmission & axles of all types of heavy commercial as well as other automotive vehicles where GL-4 performance is required.

SPECIFICATIONS & APPROVALS:

SAVSOL AUTOGEAR 80W-90 meet the following performance specification

> API GL-4

ADVANTAGES:

SAVSOL AUTOGEAR 80W-90 delivers following advantages:

- Excellent extreme pressure and anti-wear properties.
- Outstanding protection to gear and its components, long life and durability.
- Good anti-foam properties and film strength.
- Superior protection from rust and corrosion.
- Excellent seal compatibility.



Savita Oil Technologies Ltd 66/67, Nariman Bhavan, Nariman Point, Mumbai 400 021, India. T: +91 22 2288 3061 / 64 F: +91 22 2202 9364 W: www. savsol.com E: customersupport@savita.com





SAVSOL AUTOGEAR 80W-90

TECHNICAL SPECIFICATIONS: SAVSOL AUTOGEAR 80W-90

PROPERTIES	ASTM TEST METHOD	TYPICAL VALUES
Appearance	Visual	Clear & Bright
Colour ASTM	D1500	L 3.0
Density @ 29.5°C, gm/cc	D4052	0.8740
Kinematic Viscosity @ 40°C, cSt	D445	163.0
Kinematic Viscosity @ 100°C, cSt	D445	16.60
Viscosity Index	D2270	107
Flash Point, ^o C	D92	210
Pour Point, ^o C	D97	-33

The above details are typical results of normal production and variations in these characteristics may occur. The information contained herein is subject to change without notification. All recommendations and suggestions are without guarantee and the manufacturers do not accept liability for any loss or damage, however arising, which results directly from the use of such information, nor do we offer any warranty.

<u>STORAGE</u>

Store the products indoors and avoid direct sunlight or heat. Please keep the container in closed condition always.

ENVORNMENT, HEALTH AND SAFTEY

- Do not dispose the used oil to soil, drains and water. Dispose the used oil through authorized collection point
- This product is unlikely to present any safety & health hazard when properly used in the recommended application.
- Avoid contact with skin and eyes. After skin contact, wash with water and soap.

Rev.No.01 dtd 19th Mar.2019

